





M102315 PNEUMATIC PLATFORM 800X800

Description:

On the slaughter line, platforms with capacity for a single operator are sometimes necessary. This type of platform is fundamentally key in dehiding as a support for the pulling of the skin by the roller of the skinning machine.

This equipment has dimensions of 800x800 mm, being able to place a small sink, and a knife sterilizer.

Due to its reduced size and weight, it is powered by a single pneumatic cylinder, although a hydraulic cylinder can be attached to it.


It consists of a mobile platform, which moves up or down, depending on the needs of the operator, by a pneumatic cylinder. This cylinder is actuated by pedals located on the ground, so that the operator always has his hands free to carry out the corresponding work operations.

This platform is placed on a skinner assembly, such as the V40 and V70 skinners manufactured by Mecanova. The machine has safety barriers and operating pedals. There is the option of pneumatic horizontal movement towards the axis of the dressing rail to facilitate this skinning work.

They are prepared to be completed with any auxiliary machinery, whether they are work tools, sinks, sterilizers or showers (all optional). All the actuation is carried by pneumatic valves, thus avoiding the placement of electrical elements, thus facilitating maintenance tasks.

Technical Data:

- Made of AISI 304 stainless steel
- Frame in tube 60x640x3
- Round tube pillars 84x3
- 120x1200 pneumatic cylinder (1 unit)
- Built-in pneumatic panel with IP55 protection
- Platform dimensions: 800 x 800mm









TECHNOLOGY FOR SLAUGHTERHOUSES, CUTTING ROOMS AND MEAT MANUFACTURES



